


ГАЕЧНАЯ ЗАКЛЁПКА
СТАЛЬ
СТАНДАРТНЫЙ БУРТИК

Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм			L ₁ мм	L мм	Код Арт.				
M3	4,9	7	0,8	5	0,3÷1,8 1,8÷3,0	4,2÷4,6	9 10,5	32M3 TP-C 32M3 TP-L	200		10.000	
M4	5,9	9	1	6	0,3÷2,5 2,5÷4,0	5,5÷6,0	11 13	32M4 TP-C 32M4 TP-L	200		10.000	
M5	6,9	10	1,2	7	0,5÷3,0 3,0÷5,0	7,2÷7,7	13 15,5	32M5 TP-C 32M5 TP-L	200		10.000	
M6	8,9	12	1,5	9	0,5÷2,3 2,3÷4,0 4,0÷6,0	7,6÷8,2	14,5 16 17,5	32M6 TP-C 32M6 TP-M 32M6 TP-L	200		5.000	
M8	10,9	15	1,5	11	0,8÷3,5 3,5÷6,0	9,5÷10,1	17,5 20	32M8 TP-C 32M8 TP-L	200		2.500	
M10	11,9	16	1,7	12	1,0÷3,5 3,5÷6,0	10,7÷11,5	19 22	32M10 TP-C 32M10 TP-L	200		2.000	
M10	12,9	17	1,7	13	1,0÷3,5 3,5÷6,0	12,5÷13,5	21 24	32M10TP-C13 32M10TP-L13	200		2.000	
M12	14,9	18	2	15	1,0÷3,5 3,5÷6,0	13,2÷14	22 25	32M12 TP-C 32M12 TP-L	100		1.000	


d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M3	4.000	1,20
M4	6.000	2,80
M5	10.000	6,00
M6	15.000	11,50
M8	22.500	22,00
M10	26.000	37,00
M12	33.000	51,00

ГАЕЧНАЯ ЗАКЛЁПКА



СТАЛЬ

ПОТАЙНОЙ БУРТИК


Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм			L ₁ мм	L мм	Код Арт.			
M3	4,9	8	1,5	5	1,5÷3,0 3,0÷4,0	4,7÷5,3	9,5 10,5	32M3 TS-C 32M3 TS-L	200	10.000	
M4	5,9	9	1,5	6	1,5÷3,5 3,5÷5,0	5,8÷6,3	11 13	32M4 TS-C 32M4 TS-L	200	10.000	
M5	6,9	10	1,5	7	1,5÷4,0 4,0÷6,0	6,8÷7,3	13 15	32M5 TS-C 32M5 TS-L	200	10.000	
M6	8,9	12	1,5	9	1,5÷4,0 4,0÷6,0	8,5÷9,2	15 17	32M6 TS-C 32M6 TS-L	200	5.000	
M8	10,9	14	1,5	11	1,5÷4,0 4,0÷6,0	9,5÷10,4	16,5 19	32M8 TS-C 32M8 TS-L	200	2.500	
M10	11,9	15	1,5	12	1,5÷4,0 4,0÷6,0	11÷12	18 20,5	32M10 TS-C 32M10 TS-L	200	2.000	



d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M3	4.000	1,20
M4	6.800	2,80
M5	10.000	6,00
M6	15.000	11,50
M8	22.300	22,00
M10	26.000	37,00




ГАЕЧНАЯ ЗАКЛЁПКА

СТАЛЬ

УМЕНЬШЕННЫЙ ПОТАЙНОЙ БУРТИК

Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм	мм	мм	L ₁ мм	L мм	Код Арт.			
M3	4,9	5,5	0,35	5	0,5÷1,5 1,5÷2,5	5,4÷5,8	8,5 9,5	32M3 TSR-C 32M3 TSR-L	200		10.000
M4	5,9	6,75	0,50	6	0,5÷1,5 1,5÷2,5	6,5÷7,0	10 11	32M4 TSR-C 32M4 TSR-L	200		10.000
M5	6,9	8	0,60	7	0,5÷2,0 2,0÷3,5	8,0÷8,5	12 13,5	32M5 TSR-C 32M5 TSR-L	200		10.000
M6	8,9	10	0,60	9	0,5÷2,0 2,0÷3,5	9,0÷9,7	13,5 15	32M6 TSR-C 32M6 TSR-L	200		5.000
M8	10,9	12	0,60	11	1,0÷2,5 2,5÷4,0	10,7÷11,4	16,5 18	32M8 TSR-C 32M8 TSR-L	200		2.500
M10	11,9	13,5	0,85	12	1,0÷2,5 2,5÷4,0	12,3÷13,1	18 19,5	32M10 TSR-C 32M10 TSR-L	200		2.000


d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M3	4.000	1,20
M4	6.000	2,80
M5	10.000	6,00
M6	15.000	11,50
M8	22.500	22,00
M10	26.000	37,00

ГАЕЧНАЯ ЗАКЛЁПКА ЗАКРЫТАЯ



СТАЛЬ

СТАНДАРТНЫЙ БУРТИК


Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм			L ₁ мм	L мм	Код Арт.			
M3	4,9	7	0,8	5	0,3÷1,8 1,8÷3,0	9,8÷10,3	14,5 15,5	32M3 TPC-C 32M3 TPC-L	200		10.000
M4	5,9	9	1	6	0,3÷2,5 2,5÷4,0	11,3÷12,0	16,5 18	32M4 TPC-C 32M4 TPC-L	200		10.000
M5	6,9	10	1,2	7	0,5÷3,0 3,0÷5,0	12,3÷13,0	18 20,5	32M5 TPC-C 32M5 TPC-L	200		5.000
M6	8,9	12	1,5	9	0,5÷2,3 2,3÷4,0 4,0÷6,0	14÷14,5	20,5 22 23,5	32M6 TPC-C 32M6 TPC-M 32M6 TPC-L	200		2.500
M8	10,9	15	1,5	11	0,8÷3,5 3,5÷6,0	17,5÷18,2	25,5 28	32M8 TPC-C 32M8 TPC-L	200		2.000
M10	11,9	16	1,7	12	1,0÷3,5 3,5÷6,0	21÷22	29 31,5	32M10 TPC-C 32M10 TPC-L	100		1.000




d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M3	4.000	1,20
M4	6.800	2,80
M5	10.000	6,00
M6	22.500	11,50
M8	26.000	22,00
M10	33.000	37,00



ГАЕЧНАЯ ЗАКЛЁПКА СО ШЛИЦОМ СТАЛЬ СТАНДАРТНЫЙ БУРТИК

Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм	мм	мм	L ₁ мм	L мм	Код Арт.		
M4	5,9	9	1	6	0,5÷1,5	-	11	32M4 TPZ-C 32M4 TPZ-M 32M4 TPZ-L	200	10.000
					1,5÷2,5		12			
					2,5÷3,5		13			
M5	6,9	10	1,2	7	0,5÷2,0	-	13	32M5 TPZ-C 32M5 TPZ-M 32M5 TPZ-L	200	10.000
					2,0÷3,5		14,5			
					3,5÷5,0		16			
M6	8,9	12	1,5	9	0,5÷2,0	-	14,5	32M6 TPZ-C 32M6 TPZ-M 32M6 TPZ-L	200	5.000
					2,0÷3,5		16			
					3,5÷5,0		17,5			
M8	10,9	15	1,5	11	1,0÷2,5	-	17,5	32M8 TPZ-C 32M8 TPZ-M 32M8 TPZ-L	200	2.500
					2,5÷4,0		19			
					4,0÷5,5		20,5			
M10	12,9	17	1,7	13	0,5÷3	-	21	32M10TPZ-C13	200	2.000


d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M4	6.000	4,30
M5	10.000	5,50
M6	15.000	16,00
M8	22.500	30,00
M10	26.000	56,00

ГАЕЧНАЯ ЗАКЛЁПКА СО ШЛИЦОМ



СТАЛЬ

УМЕНЬШЕННЫЙ ПОТАЙНОЙ БУРТИК

Оцинкованная
сталь С4С



d 6H	D мм	B мм	S мм			L ₁ мм	L мм	Код Арт.			
M4	5,9	6,75	0,5	6	0,5±1,5	-	10	32M4 TSRZ	200	10.000	
M5	6,9	8	0,6	7	0,5±2,0	-	12	32M5 TSRZ	200	10.000	
M6	8,9	10	0,6	9	0,5±2,0	-	13,5	32M6 TSRZ	200	5.000	
M8	10,9	12	0,6	11	1,0±2,5	-	16,5	32M8 TSRZ	200	2.500	




d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M4	6.000	4,30
M5	10.000	5,50
M6	15.000	16,00
M8	22.500	30,00









ГАЕЧНАЯ ЗАКЛЁПКА СО ШЛИЦОМ
СТАЛЬ
УМЕНЬШЕННЫЙ ПОТАЙНОЙ БУРТИК

Оцинкованная
сталь С4С

*Отличается от модели TSRZ
значением внешнего диаметра



d 6H	D мм	B мм	S мм	 мм	 мм	L ₁ мм	L мм	Код Арт.		
M4	6,3	6,9	0,5	6,4	0,5÷1,5	-	10,5	32M4 TSRZ-PR	200	10.000
M5	7,1	7,7	0,5	7,2	0,5÷2,0	-	12	32M5 TSRZ-PR	200	10.000
M6	9,6	10,2	0,5	9,6	0,7÷2,5	-	13,5	32M6 TSRZ-PR	200	5.000
M8	10,6	11,2	0,5	10,6	1,0÷3,0	-	16,5	32M8 TSRZ-PR	200	2.500

d		
	Разрыв (Н)	Завинчивание (Нм)
	Сталь	Сталь
M4	6.000	4,50
M5	11.000	7,00
M6	15.000	18,00
M8	19.500	30,00